

The compact, stylish
3-in-1 multifunctional
for personal use.

i-SENSYS
MF4410

you can



Compact and easy-to-use 3-in-1 mono laser multifunctional.
This stylish mono laser 3-in-1 offers print, copy and scan functions in one compact device. Ideal for homes and small offices it's productive, easy-to-use and energy efficient.

23 PPM
9 SECONDS FIRST
PRINT OUT TIME

MONO LASER
3-IN-1: PRINT,
COPY & SCAN

STYLISH,
SPACE-SAVING
DESIGN

EASY TO USE
INTUITIVE LCD
DISPLAY

EASY SCAN
FUNCTION

ENERGY EFFICIENT

Key features

- Combine print, copy & scan in one to save time and money
- Black and white laser print speed of 23 ppm
- Stylish, minimal, space-saving design
- Intuitive LCD display for a better user experience
- Up to 1200 x 600 dpi resolution for high quality prints and copies
- Fast First Copy Out Time of 9 seconds or less
- Easy to use colour scanning function
- Class leading energy efficiency
- Convenient, easy to use All-in-One cartridge

What's in the Box

Main unit, Cartridge 728 starter, power cord, starter guide and warranty card - with user software and manual CDs.

Dimensions (WxDxH)

390mm x 414mm x 301mm

Supported OS

Windows 7/2000/XP/Vista
Mac OS X Version 10.4.9 - 10.6.x
(Web distribution only)
Linux (Web distribution only)



PRINT



COPY



FAX



SCAN

Canon

Specifications



- 1 Flatbed
- 2 250-sheet tray
- 3 Cartridge 728

<p>PRINTER</p> <p>Print speed Printing method Print quality Print resolution First Print Out Time Printer languages Print margins Toner saver mode</p>	<p>Up to 23 ppm (A4) Monochrome laser beam printing Up to 1200 x 600 dpi with Automatic Image Refinement 600 x 600 dpi 6 secs UFRIL-LT 5 mm-top and bottom, 5 mm-left and right Yes</p>
<p>COPIER</p> <p>Copy speed First Copy Output Time (FCOT) Copy resolution Copy modes Multiple copy Reduction / Enlargement Toner saver mode Other features</p>	<p>Up to 23 ppm (A4) Approx. 9 seconds or less Up to 600 x 600 dpi Text, Text/Photo, Text/Photo+, Photo Up to 99 copies 2.5-400% in 1% increments Yes Memory sort, 2 on 1, 4 on 1, ID Card Copy</p>
<p>SCANNER</p> <p>Type Scan resolution Colour scanning depth Greyscales Compatibility Max. scan width</p>	<p>Colour Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi 24 bit/24 bit (input/output) 256 levels TWAIN, WIA 216 mm</p>
<p>MEDIA HANDLING</p> <p>Scanner type Paper input (Standard) Paper output Media types Media sizes Media weights</p>	<p>Flatbed 250-sheet tray 1-sheet manual feed slot 100-sheet Plain paper, Heavy paper, Rough paper, Recycled paper, Colour paper, Transparency, Label, Envelope, Index Card Tray: A4, B5, A5, Executive, Envelope (COM10, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 210 x 356 mm. Manual feed slot: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), Index card, LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm. Tray: 60 to 163 g/m² Manual feed slot: 60 to 163 g/m²</p>

<p>INTERFACE & SOFTWARE</p> <p>Interface type Operating System compatibility Software and printer management</p>	<p>USB 2.0 Hi-speed Windows 7/2000/ XP/ Vista Mac OS X Version ² 10.4.9 - 10.6.x ³ Linux^{3,4} Presto! Page Manager, MF Toolbox</p>
<p>GENERAL FEATURES</p> <p>Duty cycle Warm-up Time Memory Control panel Dimensions with trays (W x D x H) Installation space (W x D x H) Weight Operating environment Power Source Power Consumption Noise Levels</p>	<p>Max. 8,000 pages per month Approx. 10 seconds from power on 64 MB 5 lines BW LCD 390 mm x 414 mm x 301 mm 390 mm x 581 mm x 596 mm 10.3 Kg Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) 220-240 V (±10%), 50/60 Hz (±2 Hz) Maximum: Approx. less than 1220 W Active: Approx. less than 500 W Sleep mode: Approx. 3 W Typical Electricity Consumption (TEC): 0.70 kWh/week Sound Pressure Active: 43 dB(A) or less Standby: Inaudible</p>
<p>CONSUMABLES</p> <p>Cartridges</p>	<p>Cartridge 728 (2,100 pages⁵)</p>
<p>Standard disclaimer All specifications subject to change without notice Footnotes 1 Based on ITU-T Standard Chart No. 1 2 Mac OS support Scan function via USB only 3 Web distribution only 4 Linux support printing only. Driver release January 2011 5 Ships with 1,000 pages starter cartridge 6 Based on ISO/IEC 19752</p>	

